

TCB 防水熱鍍鋅金屬軟管



規格	內徑(mm)	外徑(mm)	彎曲半徑(mm)	包裝(m)
3/8"	12.6	17.0	47.0	50
1/2"	16.0	20.5	58.0	50
3/4"	21.0	25.8	63.0	50
1"	26.3	31.9	72.0	50
1 1/4"	35.0	41.2	83.0	30
1 1/2"	40.3	46.9	104.0	25
2"	51.6	58.4	139.0	20
2 1/2"	63.4	72.6	188.0	10
3"	78.3	88.4	237.0	10
4"	102.1	113.8	296.0	10

TCC 防水棉紗平管



規格	內徑(mm)	外徑(mm)	彎曲半徑(mm)	包裝(m)
3/8"	12.6	18.0	71.0	50
1/2"	16.0	21.3	91.0	50
3/4"	21.0	26.7	111.0	50
1"	26.3	33.4	151.0	50
1 1/4"	35.0	42.2	176.0	30
1 1/2"	40.3	48.3	201.0	25
2"	51.6	60.3	231.0	20
2 1/2"	63.4	74.1	240.0	10
3"	78.3	90.0	300.0	10
4"	102.1	115.3	3500	10

TCD 鋼絲浪管



規格	內徑(mm)	外徑(mm)	彎曲半徑(mm)	包裝(m)
3/8"	12.6	18.8	71.0	50
1/2"	16.0	22.0	91.0	50
3/4"	21.0	27.5	111.0	50
1"	26.3	34.0	151.0	50
1 1/4"	35.0	42.9	176.0	30
1 1/2"	40.3	49.9	201.0	25
2"	51.6	60.9	231.0	20

TCL 低煙無鹵防水軟管



規格	內徑(mm)	外徑(mm)	彎曲半徑(mm)	包裝(m)
1/2"	16.0	20.5	58.0	50
3/4"	21.0	25.8	63.0	50
1"	26.3	31.9	72.0	50
1 1/4"	35.0	41.2	83.0	30
1 1/2"	40.3	46.9	104.0	25
2"	51.6	58.4	139.0	20
2 1/2"	63.4	72.6	188.0	10

TCM 熱鍍鋅金屬軟管



規格	內徑(mm)	外徑(mm)	彎曲半徑(mm)	包裝(m)
1/4"	8	10.7	24	100
5/16"	10.0	13	28	50
3/8"	12.6	16.0	33.0	50
1/2"	16.0	20.0	39.0	50
3/4"	21.0	25.0	46.0	50
1"	26.3	30.7	53.0	50
1 1/4"	35.0	40.0	61.0	30
1 1/2"	40.3	45.5	87.0	25
2"	51.6	56.8	108.0	20
2 1/2"	63.4	69.6	145.0	10
3"	88.5	96.8	198.0	10
4"	101.3	110.8	252.0	10

TCA ROHS 防水熱鍍鋅金屬軟管



規格	內徑(mm)	外徑(mm)	彎曲半徑(mm)	包裝(m)
1/4"	8	11.5	32	100
5/16"	10.0	14	38	50
3/8"	12.6	17.0	47.0	50
1/2"	16.0	20.5	58.0	50
3/4"	21.0	25.8	63.0	50
1"	26.3	31.9	72.0	50
1 1/4"	35.0	41.2	83.0	30
1 1/2"	40.3	46.9	104.0	25
2"	51.6	58.4	139.0	20
2 1/2"	63.4	72.6	188.0	10
3"	78.3	88.4	237.0	10
4"	102.1	113.8	296.0	10

TCSM 不鏽鋼軟管



規格	內徑(mm)	外徑(mm)	彎曲半徑(mm)	包裝(m)
3/8"	12.6	16.0	33.0	50
1/2"	16.0	20.0	39.0	50
3/4"	21.0	25.0	46.0	50
1"	26.3	30.7	53.0	50
1 1/4"	35.0	40.0	61.0	30
1 1/2"	40.3	45.5	87.0	25
2"	51.6	56.8	108.0	20
2 1/2"	63.4	69.6	145.0	10
3"	88.5	96.8	198.0	10
4"	101.3	110.8	252.0	10

TCS 不鏽鋼防水軟管



規格	內徑(mm)	外徑(mm)	彎曲半徑(mm)	包裝(m)
3/8"	12.6	17.0	47.0	50
1/2"	16.0	20.5	58.0	50
3/4"	21.0	25.8	63.0	50
1"	26.3	31.9	72.0	50
1 1/4"	35.0	41.2	83.0	30
1 1/2"	40.3	46.9	104.0	25
2"	51.6	58.4	139.0	20
2 1/2"	63.4	72.6	188.0	10
3"	78.3	88.4	237.0	10
4"	102.1	113.8	296.0	10

SLN 不鏽鋼鎖片（納子）



規格	螺紋外徑(mm)
1/2"	18.9
3/4"	25.2
1"	31.2
1 1/4"	40.2
1 1/2"	45.8
2"	57.7
2 1/2"	74.0
3"	86.0
4"	11.5

SAC 不鏽鋼牙圈（管舌）



規格	內徑(mm)
3/8"	11.0
1/2"	14.5
3/4"	19.5
1"	25.0
1 1/4"	33.5
1 1/2"	38.0
2"	49.5
2 1/2"	59.4
3"	75.5
4"	98.4

SPB 不鏽鋼防水外牙盒接



規格	內徑(mm)
3/8"	20.9
1/2"	20.9
3/4"	26.4
1"	33.1
1 1/4"	41.9
1 1/2"	47.5
2"	59.0
2 1/2"	75.4
3"	87.5
4"	113.0

SPC 不鏽鋼防水內牙管接



規格	內徑(mm)
1/2"	18.9
3/4"	25.2
1"	31.2
1 1/4"	40.2
1 1/2"	45.8
2"	57.7
2 1/2"	74.0
3"	86.0
4"	111.5

JS 金屬盒接（螺接）（鋅合金）



規格	內徑(mm)	包裝(PKG)	包裝 (PCS)
3/8"	20.9	100	1000
1/2"	20.9	50	1000
3/4"	26.4	50	500
1"	33.1	40	400

NPB 非防水盒接（鋅合金）




規格	螺紋外徑(mm)	包裝(PKG)	包裝 (PCS)
1/2"	20.9	50	250
3/4"	26.4	50	250
1"	33.1	40	160

LN 鎖片（納子）



規格	螺紋外徑(mm)	包裝(PKG)	包裝(PCS)
1/2"	18.9	400	4000
3/4"	25.2	250	2000
1"	31.2	150	1500
1 1/4"	40.2	-	600
1 1/2"	45.8	-	600
2"	57.7	-	500
2 1/2"	74.0	-	250
3"	86.0	-	200
4"	111.5	-	100

NPE 非防水管接 (EMT) (鋅合金



規格	螺紋外徑(mm)	包裝(PKG)	包裝(PCS)
1/2"	19.6	50	250
3/4"	26.2	50	250
1"	32.4	40	160

BUI 絕緣護管套



規格
1/2"
3/4"
1"
1 1/4"
1 1/2"
2"
2 1/2"
3"
4"

PE 防水管接(EMT)(鋅合金)



規格	螺紋外徑(mm)
3/8"	19.6
1/2"	19.6
3/4"	26.2
1"	32.4
1 1/4"	38.8
1 1/2"	51.9
2"	64.2
2 1/2"	77.0
3"	89.6
4"	114.3

PC 防水內牙管接(鋅合金)



規格	螺紋外徑(mm)	包裝(PKG)	包裝(PCS)
3/8"	18.9	100	400
1/2"	18.9	50	250
3/4"	25.2	50	250
1"	31.2	40	160
1 1/4"	40.2	-	100
1 1/2"	45.8	-	80
2"	57.7	-	40
2 1/2"	74.0	-	25
3"	86.0	-	20
4"	111.5	-	10

PP 防水管接(PVC)(鋅合金)



規格	螺紋外徑(mm)	包裝(PKG)	包裝(PCS)
1/2"	22.3	50	250
3/4"	27.5	50	250
1"	34.5	40	160
1 1/4"	42.7	-	100

AC 牙圈(管舌)



規格	螺紋外徑(mm)	包裝(PKG)	包裝(PCS)
1/4"	8	300	3000
5/16"	10	300	3000
3/8"	11	300	3000
1/2"	14.5	200	2000
3/4"	19.5	100	1000
1"	25	100	700
1 1/4"	33.5	-	500
1 1/2"	38	-	500
2"	49.5	-	300
2 1/2"	59.4	-	150
3"	75.5	-	100
4"	98.4	-	50

PB 防水盒接(鋅合金)



規格	螺紋外徑(mm)	包裝(PKG)	包裝(PCS)
1/4"	20	100	400
5/16"	20	100	400
3/8"	20.9	100	400
1/2"	20.9	200	250
3/4"	26.4	50	250
1"	33.1	40	160
1 1/4"	41.9	-	100
1 1/2"	47.5	-	80
2"	59.0	-	40
2 1/2"	75.4	-	25
3"	87.5	-	20
4"	113.0	-	10

熱浸鍍鋅防水接頭



規格	螺紋外徑(mm)	包裝(PKG)	包裝(PCS)
1/2"	20.9	50	250
3/4"	26.4	50	250
1"	33.1	40	160
1 1/4"	41.9	-	100
1 1/2"	47.5	-	80
2"	59.0	-	40
2 1/2"	75.4	-	25
3"	87.5	-	20
4"	113.0	-	10

PBL 防水 90°彎頭 (鋅合金)



規格	螺紋外徑(mm)	包裝(PKG)	包裝(PCS)
3/8"	20.9	50	300
1/2"	20.9	50	200
3/4"	26.4	-	125
1"	33.1	-	100
1 1/4"	41.9	-	50
1 1/2"	47.5	-	35
2"	59.0	-	25
2 1/2"	75.4	-	10
3"	87.5	-	10
4"	113.0	-	5

PBV 防水 45°彎頭（鋅合金）



規格	螺紋外徑	包裝（PKG）	包裝（PCS）
3/8"	20.9	50	300
1/2"	20.9	50	200
3/4"	26.4	-	125
1"	33.1	-	100
1 1/4"	41.9	-	50
1 1/2"	47.5	-	35
2"	59.0	-	25
2 1/2"	75.4	-	10
3"	87.5	-	10
4"	113.0	-	5